



AlaNik

آلا تجارت نیکداد

آلا تجارت نیکداد

آدرس: تهران، شهرک گلستان، بلوار علیمردان (کوهک)، مجتمع تجاری-اداری طویی، برج اداری شمالی،
طبقه هشتم، واحد یک

تلفن تماس: ۰۲۱-۴۶۰۸۹۰۳۸

ایمیل: info@alanik.ir

وب سایت: www.alanik.ir



Products

Carbon Steel

Carbon steel Pipe

Carbon Steel Plate

Carbon steel Coil

Carbon Steel Rod

Galvanized Steel

Galvanized Coil

Galvanized Sheet

Pre-painted Steel

PPGI/PPGL

Corrugated Sheet

Profile Steel

Angel Steel

Channel Steel

H Beam/I-beam

Flat bar

Aluminium

Aluminium plate

Aluminium Pipe

Aluminium rod

Aluminium Coil

Stainless Steel

Stainless Steel rod

Stainless Steel coil

Stainless Steel Plate

Stainless Steel Pipe

C CARBON STEEL PIPE



SHOW DETAILS

CARBON STEEL PIPE		
COMMON SIZE	OD	16-720mm
	Wall Thickness	2-100mm, Up to 200mm
	Length	± 6m-12m or as request
CATEGORY	Seamless pipe, Welded pipe	
STANDARD	API, ASTM, ASME, DIN,GB,JIS,ASNI.BS	
USAGE	Transport routes for gas, oil, chemical materials, water,steam and other gas or liquid	
ENDS	Plained or Beveled or other requirements	
SURFACE	Bared, Black Painted, Galvanized, Oiled or as your requirements	
PACKAGE	1.In bundle with steel strips	
	2.As your requirement	
PACKING	Bundle, or with all kinds of colors PVC or as your requirements	

C CARBON STEEL PLATE



SHOW DETAILS

CARBON STEEL PLATE		
COMMON SIZE	Technique	Hot rolled / Cold rolled
	Width(mm)	1000mm-4500mm, as Your Request
	Length	2000mm-18000mm,as Your Request
STANDARD	AISI,ASTM,DIN,JIS,GB,JIS,SUS,EN,ETC.	
MATERIAL	Q195, Q215,Q235,Q345,ST37, A36,45# ,16Mn, SPHC,SGCC,CGCC	
ENDS	Slit edge/Mill edge	
SURFACE	Bared, Black Painted, Galvanized, Oiled or as your requirements	
THICKNESS	Hot Rolled Thickness:0.8mm-100mm	
	Cold Rolled Thickness:0.1mm-3mm	
	As Your Request	
PACKING	Standard seaworthy packing	



C CARBON STEEL COIL



SHOW DETAILS



CARBON STEEL COIL		
COMMON SIZE	Technique	Hot rolled / Cold rolled
	Width(mm)	Normal width is 1219/1250/1500 mm or customized
	Thickness	0.1-12mm.HRC:1-12mm,CRC,0.1-3mm
STANDARD	GB/ASTM/JIS /AISI /EN	
STEEL GRADE	Q235/Q235B/Q345/Q345B/Q195/St37/St42/St37-2/St35.4/St52.4/st35 etc/Q195/Q215	
APPLICATION	Ship Plate, Boiler Plate, Container Plate, making pipes、 cold rolled steel products...	
PROCESSING SERVICE	Bending,Welding, Decoiling, Cutting, Punching	
MOQ	10 Tons	
PACKAGE	Standard Sea Worthy Package	

C CARBON STEEL ROD



SHOW DETAILS



CARBON STEEL ROD	
TECHNIQUE	Hot rolled / Cold rolled
PRODUCT NAME	Carbon Steel Rod Mould Steel Round Rod
LENGTH	12m or customization
STEEL GRADE	Q235,Q345,1015,1045,20CR,40CR,42CRMO,12CRMOV,ETC.
MATERIAL	Carbon steel/Alloy steel
STANDARD	ASTM
TOLERANCE	±1%
APPLICATION	Structural Steel Rod
DIAMETER	6.5-500mm or customization
SURFACE TREATMENT	Heat treatment
MOQ	5 Tons



G GALVANIZED COIL



SHOW DETAILS



G GALVANIZED SHEET



SHOW DETAILS



GALVANIZED COIL	
PRODUCT NAME	Galvanized Coil
WIDTH(MM)	600-1500mm or customized
THICKNESS	0.1-6.0mm
GRADE	DX51D/DX52D/S235GD/Q235/Q195
SPANGLE TYPE	Regular Spangle/Small Spangle/Big Spangle
STANDARD	ASTM,GB,AISI,JIS,DIN,EN,BS
ZINC COATING	20-275g/m ²
APPLICATION	making pipes, cutting sheets, making small tools, making corrugated sheets, making container, making fences
SURFACE TREATMENT	Coated Galvanized
PROCESSING	Provide Steel Process Service

GALVANIZED SHEET	
PRODUCT NAME	Galvanized Sheet
WIDTH(MM)	600-1500mm or customized
THICKNESS	0.1-6.0mm
LENGTH	1000-12000mm or customized
SPANGLE TYPE	Regular Spangle/Small Spangle/Big Spangle
STANDARD	ASTM,GB,AISI,JIS,DIN,EN,BS
ZINC COATING	20-275g/m ²
APPLICATION	making pipes, cutting sheets, making small tools, making corrugated sheets, making container, making fences
SURFACE TREATMENT	Coated Galvanized
CERTIFICATE	CE, SGS



G GALVANIZED PIPE



GALVANIZED PIPE	
PRODUCT NAME	Galvanized Steel Pipe
SECTION SHAPE	Round or square or rectangle
SURFACE TREATMENT	Galvanized
TECHNIQUE	SEAMLESS/ERW/SSAW
DIAMETER	DN15-DN200
MATERIALS	Q195,Q215,Q235,Q345 20#,Q345,20Cr,40Cr, 20CrMo,30-35CrMo,42CrMo
STANDARDS	BS1387-1985,GB/T3091-2001.EN39.BS1139
THICKNESS	1.0- 100 mm
LENGTH	5.8m,6.0m,12m or by customer's requirements
PROCESSING SERVICE	Punching, Cutting

P PPGI / PPGL



PPGI / PPGL	
THICKNESS RANGE	0.10mm to 2.0mm
THICKNESS TYPE	Total Coating Thickness (TCT), Base Metal Thickness (BMT)
WIDTH	700mm to 1250mm or customer requirement,REGULAR WIDTH: 914mm, 1000mm, 1219mm, 1220mm, 1250mm OR BY CUSTOMER'S REQUIREMNTS
THICKNESS	Z20 to Z275/AZ20 to AZ275
COATING SURFACE CONDITION	Common Coating PPGI/PPGL
	Print Coating PPGI/PPGL
	Embossed PPGI/PPGL
CLASSED BY USAGE	Outdoor Construction、 Indoor Construction、 House hold appliance、 Other
CERTIFICATION	ISO, SGS, BV, TUV,etc.
SAMPLES	Free if available





C CORRUGATED SHEET



CORRUGATED SHEET	
STANDARD	AISI, ASTM, BS, DIN, GB, JIS, JIS G3302, JIS G3312, GB/T-12754
MATERIAL	DX51D, DX52D, S350GD, S550GD
THICKNESS	0.1-3mm
WIDTH	600-1500 mm, Normal width is 914/1000/1219/1250/1500 mm
TYPE OF COATING PROCESS	Front: double coated & double drying; Back: double coated & double drying; single coated & double drying
ZINC COATING	20-275g/m ²
COLOR	Standard color: red, blue, white, grey, Special color: according to RAL color Or as customer's requires
PACKING	Tied up with steel strips and wrapped with water proof paper

A ANGLE STEEL



ANGLE STEEL	
STANDARD	ASTM / AISI / JIS / EN / DIN
GRADE	Q195-Q420 series
TYPE	Equal / Unequal
SIZE	20-200mm
THICKNESS	3-25mm
LENGTH	6/9/12m or other length based on demand
DELIVERY TIME	Within 7 days
APPLICATION	Engineering Structure, construction
PROCESSING SERVICE	Bending, Welding, Decoiling, Punching, Cutting
MOQ	5 Tons
SURFACE	Painted, Galvanized



C CHANNEL STEEL



 SHOW DETAILS



CHANNEL STEEL	
STANDARD	AISI ASTM BS DIN JIS EN
MATERIAL	Q235/Q235B/Q345/Q345B/SS400
SHAPE	CU Channel
APPLICATION	Construction steel channel
MODEL NUMBER	5#-40#
HEIGHT	80-160mm
THICKNESS	1.5mm-25mm
STRENGTH OF EXTENSION	A36/420MPa S355JR/485MPa
TOLERANCE	±1%
PROCESSING SERVICE	Bending, Welding, Punching, Cutting

H H-BEAM / I-BEAM




 SHOW DETAILS



H-BEAM/I-BEAM	
TECHNIQUE	Hot Rolled
MATERIAL	Q195, Q215, Q235, Q345, ST37, A36, 45#, 16Mn
HEIGHT	200-1200mm
THICKNESS	5mm-60mm
LENGTH	6m-12m
SURFACE	Bare, Black, Oiled, Shot Blasted, Paint, Galvanized, or as your request
STANDARD	AISI ASTM JIS DIN EN BS GB
DELIVERY TIME	15-20 working days
SURFACE	Painted, galvanized or as required
APPLICATION	Manufacturing cars and tractors, hoop iron, tools and mechanical parts, as building frame structure, escalator.



F FLAT BAR



FLAT BAR	
NAME	A36 Mild Steel Flat Bar HR MS Flat Bar Carbon Steel Structural Flat Bar
GRADE	A36,S235,S235JR,S275,S275JR,S355,S355JR, A53
THICKNESS	1.5-60mm
WIDTH	10-600mm
LENGTH	5.8m ,6m or to meet customer's demand
TOLERANCE	±1%
USED AREA	Structure, Construction
STANDARDS	ASTM A36, EN10025, EN 10163
SURFACE	Painted or galvanized
PACKAGING	Standard exporting packing or as client's requirement


A ALUMINIUM PLATE



ALUMINIUM PLATE	
GRADE	1000-6000 Series
TOLERANCE	±0.5%
TEMPER	O-H112,T3-T8,T351-T851
THICKNESS	0.12mm-260mm
WIDTH	20-2000mm
SURFACE	Coated, Embossed,Brushed, Polished, Anodized,etc
ALLOY OR NOT	Is Alloy
PROCESSING	Bending, Decoiling, Welding, Punching, Cutting
CERTIFICATION	ISO9001/CE
PACKAGE	Strong Sea Worthy Wooden Package
TYPE	Sheet/Plate/Panel



A ALUMINUM PIPE



ALUMINUM PIPE	
NAME	Aluminum Pipe
GRADE	1000-6000 series
DIAMETRE	10mm-320mm
THICKNESS	0.3-20mm
SHAPE	Round
SURFACE	Mill Finished/Powder Coated/Anodized/Polishing
LENGTH	1000-6000mm
HARDNESS	>95HB
ALLOY OR NOT	Is Alloy
TEMPER	T3 - T8

A ALUMINUM ROD



ALUMINUM ROD	
GRADE	1000-6000 series
TOLERANCE	±0.5%
APPLICATION	Construction
TECHNIQUE	Cold Drawn
HARDNESS	Full Hard
ALLOY OR NOT	Is Alloy
TYPE	Round Shape
PROCESSING	Bending, Decoiling, Welding, Punching, Cutting
LENGTH	1000-6000mm
DIAMETER	10-600mm
SHAPE	Round



A ALUMINUM COIL



SHOW DETAILS



ALUMINUM COIL	
TOLERANCE	±0.5%
GRADE	1000-6000 series
DELIVERY TIME	15-20 days
APPLICATION	Construction,Packing
WIDTH	600mm-2600mm
ALLOY OR NOT	Is Alloy
PROCESSING SERVICE	Bending, Decoiling, Welding, Punching, Cutting
THICKNESS	0.1-10mm
STANDARD	ASTM AISI JIS DIN GB
COLOR	Customer's Requirement

S STAINLESS STEEL ROD



SHOW DETAILS




STAINLESS STEEL ROD	
MATERIAL	200 series: 201, 202
	300 series: 303, 304, 304L,304H,321, 310S, 316, 316L
	400 series: 405,410, 420, 430
PRODUCT NAME	Stainless Steel Rod
STANDARD	AISI, ASTM, DIN, GB, JIS, SUS
LENGTH	1 meters to 6 meters or customized
DIAMETER	2mm-300mm
TREATMENT	Hot rolled, Cold drawn, Annealed, Grinding
DELIVERY TIME	Usually 15-20 days upon receipt of deposit for 1 FCL
PACKAGE	Standard sea-worthy package or as required



A STAINLESS STEEL COIL




SHOW DETAILS



STAINLESS STEEL COIL	
PRODUCT	Stainless Steel Coil
GRADE	201,202,304,304L,309, 309S,310S,316,316L,316Ti,317L,321,347H,409,409L,410, 410S, 420(420J1, 420J2), 430, 436, 439, 441, 444, 446
BRAND	TISCO, BAOSTEEL, POSCO, JISCO, LISCO etc.
THICKNESS	0.3mm-6mm(cold rolled),3mm-100mm(hot rolled)
WIDTH	1000mm,1219mm(4feet),1250mm,1500mm,1524mm(5feet),1800mm,2000mm or as your requirements.
APPLICATION	Interior/Exterior decoration; Architectur; Evevator; Kitchen; Ceiling; Cabinet; Advertising nameplate; Roof structure
SURFACE	Common: 2B, 2D, HL(Hairline), BA(Bright annealed), No.4.Colored: Gold mirror, Sapphire mirror, Rose mirror, black mirror, bronze

S STAINLESS STEEL PLATE



SHOW DETAILS



STAINLESS STEEL PLATE	
PRODUCT NAME	Stainless Steel Plate
GRADE	200/300/400 series
STANDARD	GB/ASTM /JIS/ AISI / DIN/ EN
LENGTH	1000-6000mm
THICKNESS	0.15-100mm
WIDTH	600-2500mm
PROCESSING	Bending, Welding, Decoiling, Punching, Cutting
SURFACE	BA/2B/NO.1/NO.3/NO.4/8K/HL/2D/1D/ Embossed
CERTIFICATION	ISO 9001/CE
STEEL GRADE	301L, 301, 304N, 310S, S32305, 316Ti, 316L, 316, 321, S32304, 314, 347, 430, 304 204C2, 409L, 436, 304L, 405, 301LN, 317L



S

STAINLESS STEEL PIPE



SHOW DETAILS



STAINLESS STEEL PIPE	
PRODUCT NAME	Stainless Steel Pipe
MATERIAL	301, 304, 304L, 304N, XM21, 304LN, 305, 309S, 310S, 316, 316Ti, 316L, 316N, 316LN, 317, 317L, 321, 347 etc.
SURFACE TREATMENT	Polishing, Annealing, Pickling, Bright
STEEL GRADE	200 series, 300 series, 400 series
SIZE	OD: 6mm-508mm
	Thickness: 0.25-3mm
	Length: as required
TECHNIQUE	Hot rolled and Cold rolled
APPLICATION	Widely used in petroleum, foodstuff, chemical industry, construction, electric power, energy, machinery, biotechnology, shipbuilding, boiler fields.



آلا تجارت نیکداد

